RESPONSIBILITIES OF A PUBLIC DRINKING WATER SYSTEM





Margaret Ryan

New Mexico Environment Department Drinking Water Bureau Bureau Chief

Violette Valerio-Hirschfeld

New Mexico Environment Department Drinking Water Bureau District II (Santa Fe) Area Manager

Joe Martinez

New Mexico Environment Department Drinking Water Bureau Water Systems Specialist

Maria Medina

New Mexico Environment Department Drinking Water Bureau Water Systems Specialist



What do we hope to accomplish in this training session?

- Explain the <u>basic</u> responsibilities of operating a Public Water System in the State of New Mexico.
- Explain what NMED-DWB can and cannot do.
- Try not to overwhelm you with regulations or other excessive details about operating a water system



Topics To be Discussed

- Who is NMED-DWB and what do they do?
- What is a Public Water System?
- Certified Operators
- Total Coliform Sampling
- Chemical Sampling
- Sanitary Surveys
- Record Keeping
- Consumer Confidence Reports (CCRs)
- Violations



New Mexico Environment Department's Drinking Water Bureau (NMED-DWB)

- Who is NMED-DWB and what do you do?
 - NMED-DWB is the agency which is tasked with overseeing and regulating the State's public drinking water supply.
 - NMED-DWB contains the following sections within the Bureau:
 - Compliance Section
 - Enforcement Section
 - Engineering Section
 - Sampling & Data Management Section
 - Capacity Development
 - Source Water Protection



Why is your water system regulated by NMED-DWB?

- Because your water system meets the definition of a <u>Public Water System</u>.
 - A <u>Public Water System</u> is defined as water system which serves at least fifteen service connections or regularly serves an average of at least twenty-five individuals daily at least 60 days out of the year.
- NMED-DWB has primacy over the State's Drinking Water Systems.
 - If NMED-DWB did not regulate public water systems within the State of New Mexico, the USEPA would.



So what are the responsibilities of a Public Water System?

- Compliance with State and Federal Drinking Water Regulations
 - We will cover <u>some</u> of the ways to comply with drinking water regulations.

Communication with NMED-DWB



- Why do we need to have a Certified Operator?
 - New Mexico law requires that every Public Water System in the State be operated or be under the supervision of a certified operator.
 - It will make your life and ours a lot easier!



- A good Certified operator should:
 - Know most drinking water regulations and how to comply with them.
 - Develop and maintain records required by NMED-DWB and USEPA.
 - Collect and submit required compliance samples for your water system.
 - Troubleshoot any problems with your water system.



- A good Certified operator should:
 - Be able to make recommendations for complying with regulations, and correct most minor violations or deficiencies.
 - Be available when you need them.
 - Be available when needed by NMED-DWB.



- What a Certified Operator should not be:
 - An operator in <u>name</u> only
 - A system operator should actually operate the water system.



- How often do we take Total Coliform Samples?
 - Total Coliform Samples for most Public Water Systems are required to be taken on a monthly basis.
- How many samples are we required to take each month?
 - Number of samples required to be collected is based on the population served by the water system.
 - Systems under 1,000 population are normally required to collect one sample per month.



- Who can collect the Total Coliform Samples?
 - Coliform Samples should only be collected by a Certified Operator or Certified Sampler.
- Where do we collect the samples?
 - Samples should be collected at various sites throughout the system and should be representative of the entire distribution system.
 - Sample sites should be written down on your Total Coliform Sample Siting Plan.



- Why do we need a Total Coliform Sample Siting Plan?
 - So that your Certified Sampler knows where and how often to collect the samples.
 - In the event that a person who is not familiar with your system has to collect your monthly samples, they can use the Sampling Plan to determine where and how many samples need to be collected.
 - AND because it's a Federal Requirement.



• Total Coliform Sample Siting Plan



- What do we do if one of our samples comes back positive for Total Coliform or E-Coli?
 - You are required to collect repeat samples.
 - Ist Sample at the original location
 - 2nd Sample within 5 connections upstream
 - 3rd sample within 5 connections downstream
 - 4th sample at a random location in the distribution



- Is there anything else required when we get a positive Total Coliform or E-Coli Sample?
 - YES!!!
 - As a result of the Ground Water Rule, you also have to collect a raw water (directly from the well) sample from each well that was in operation on the day of the original positive sample.
 - Raw Water samples may not be required if your water system is providing 4-Log disinfection of your water and it is approved by NMED-DWB



- What else should we know about Total Coliform Sampling?
 - If you use chlorine to disinfect, you must take a chlorine residual sample and include the results on your chain of custody (sample) form.
 - It is recommended that you collect your samples at the beginning of the month and early in the week, in case you have to collect repeat samples.



- I heard that we are going to have to start taking our own chemical samples?
 - Not totally true.
 - NMED-DWB will continue to collect most of the required chemical samples.
 - Individual water systems are required to collect and submit Lead & Copper, Disinfectant Residual, Disinfectant Byproducts, and Asbestos samples.



- Can we pick up the sample bottles and then drop off the samples at the NMED-DWB office when we're done collecting them?
 - Unfortunately this cannot be done.
 - NMED-DWB oversees approximately 1,200 public water systems. Organizing the transportation and delivery of samples for that many systems would very difficult.



- Even though NMED-DWB has made the decision to lessen the burden on water systems in New Mexico by collecting most of the required chemical samples, it is ultimately the responsibility of the Water System to make sure that those samples have been collected on time.
- If samples are not collected, the water system will be issued a "Non-Sampling" Violation.



- How do I read my sample results?
 - There are 2 basic things you should look at when you receive your sampling results
 - The first thing to look at is the column labeled as "RESULT" or in some cases it is called "CONCENTRATION"
 - The second thing to look at is the column labeled as "MCL" or Maximum Contaminant Level
 - If the "Result" or "Concentration of your sample is greater than the listed "MCL", then you're system has exceeded the Maximum Contaminant Level for that Analyte.
 - If the "Result" or "Concentration" is less than the listed "MCL" then you're system is in compliance with the Maximum Contaminant Level for that Analyte



- How do I read my sample results?
 - In some cases the Laboratory which analyzes the samples will not include the MCL in the reports.
 - In those circumstances, some labs will identify an MCL exceedance by reporting the result in <u>BOLD FONT</u>
 - While other labs may note an MCL exeedance by marking the result with an asterisk (*)
 - Some labs will include a Column that is labeled as "Qual" or "Data Qualifier". These columns will be populated with a letter or number that corresponds to a data definition that is located at the bottom of the page.
 - Data Qualifiers will be reviewed in an upcoming slide.



- How do I read my sample results?
 - In rare instances some labs will not report the MCLs, nor indicate an exceedance at all. In those instances it is helpful to have a list of Primary Contaminants and their associated MCLs
 - These lists can be located fairly easily on the EPA website.
 - http://www.epa.gov/



EPA National Primary Drinking Water Standards

	Contaminant	MCL or TT ¹ (mg/L) ²	Potential health effects from exposure above the MCL	Common sources of contaminant in drinking water	Public Health Goal
ос	Acrylamide	т8	Nervous system or blood problems;	Added to water during sewage/wastewater increased risk of cancer treatment	zero
ос	Alachior	0.002	Eye, liver, kidney or spleen problems; anemia; increased risk of cancer	Runoff from herbicide used on row crops	zero
R	Alpha particles	15 picocuries per Liter (pCi/L)	Increased risk of cancer	Erosion of natural deposits of certain minerals that are radioactive and may emit a form of radiation known as alpha radiation	zero
ЮС	Antimony	0.006	Increase in blood cholesterol; decrease in blood sugar	Discharge from petroleum refineries; fire retardants; ceramics; electronics; solder	0.006
ЮС	Arsenic	0.010 as of 1/23/06	Skin damage or problems with circulatory systems, and may have increased risk of getting cancer	Erosion of natural deposits; runoff from orchards, runoff from glass & electronics production wastes	0
ЮС	Asbestos (fibers >10 micrometers)	7 million fibers per Liter (MFL)	Increased risk of developing benign intestinal polyps	Decay of asbestos cement in water mains; erosion of natural deposits	7 MFL
ОС	Atrazine	0.003	Cardiovascular system or reproductive problems	Runoff from herbicide used on row crops	0.003
ЮС	Barium	2	Increase in blood pressure	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits	2
ос	Benzene	0.005	Anemia; decrease in blood platelets; increased risk of cancer	Discharge from factories; leaching from gas storage tanks and landfills	zero
ос	Benzo(a)pyrene (PAHs)	0.0002	Reproductive difficulties; increased risk of cancer	Leaching from linings of water storage tanks and distribution lines	zero
ЮС	Beryllium	0.004	Intestinal lesions	Discharge from metal refineries and coal-burning factories; discharge from electrical, aerospace, and defense industries	0.004
R	Beta particles and photon emitters	4 millirems per year	Increased risk of cancer	Decay of natural and man-made deposits of certain minerals that are radioactive and may emit forms of radiation known as photons and beta radiation	zero
DBP	Bromate	0.010	Increased risk of cancer	Byproduct of drinking water disinfection	zero
ЮС	Cadmium	0.005	Kidney damage	Corrosion of galvanized pipes; erosion of natural deposits; discharge from metal refineries; runoff from waste batteries and paints	0.005
ОС	Carbofuran	0.04	Problems with blood, nervous system, or reproductive system	Leaching of soil furnigant used on rice and alfalfa	0.04
ос	Carbon tetrachloride	0.005	Liver problems; increased risk of cancer	Discharge from chemical plants and other industrial activities	zero
D	Chloramines (as Cl ₂)	MRDL=4.01	Eye/nose imitation; stomach discomfort, anemia	Water additive used to control microbes	MRDLG=41

LEGEND

D Dinsinfectan

Disinfection Byproduct

IOC Inorganic Che

Microorganism

OC Organic Chemics
R Radionuclides

Hall Environmental Analysis Laboratory, Inc.

CLIENT: NMED Drinking Water SF

2976

Date: 11-Jul-11 Analytical Report

Client Sample ID: HAL107591

Collection Date: 6/17/2011 9:15:00 AM

Lab Order:		Colle		ix: AQUE	OUS	O ANI
Facility:	WSS ID:	Comm			.000	
Lab ID:	Location:		liance Sat te Receive		011	
	Analyses	Result Qual	RL	MCL	Units	Dil Fac
SDWIS Code	PURGEABLE ORGANICS BY EPA 524	Date Analyzed: 6/27/2011 3	3:34:27 PM	Analys	st: MMS	
2955	Total Xylenes	ND	0.75	10000	µg/L	1
2990	Benzene	ND	0.5	5	µg/L	1
2982	Carbon tetrachloride	ND	0.5	5	µg/L	1
2989	Chlorobenzene	ND	0.5	100	µg/L	1
2380	cis-1,2-Dichloroethene	ND	0.5	70	µg/L	1
2968	1,2-Dichlorobenzene	ND	0.5	600	µg/L	1
2969	1.4-Dichlorobenzene	ND	0.5	75	µg/L	1
2980	1.2-Dichloroethane	ND	0.5	5	µg/L	1
2977	1,1-Dichloroethene	ND	0.5	7	µg/L	1
2983	1.2-Dichloropropane	ND	0.5	5	µg/L	1
2992	Ethylbenzene	ND	0.5	700	µg/L	1
2964	Methylene chloride	ND	0.5	5	µg/L	1
2964	Styrene	ND	0.5	100	µg/L	1
	Tetrachloroethene	ND	0.5	5	µg/L	1
2987	Toluene	ND	0.5	1000	µg/L	1
2991	trans-1,2-Dichloroethene	ND	0.5	100	µg/L	1
2979	1.2.4-Trichlorobenzene	ND	0.5	70	µg/L	1
2378	1,1,1-Trichloroethane	ND	0.5	200	µg/L	1
2981	1,1,2-Trichloroethane	ND	0.5	5	µg/L	1
2985		ND	0.5	5	µg/L	1
2984	Trichloroethene	ND	0.5	2	µg/L	1
2976	Vinyl chloride				100	

Qualifiers:	• E	Value exceeds Maximum Contaminant Level Estimated value	B Analyte detected in the associated Method Blank H Holding times for preparation or analysis exceeded				
	NC	J Analyte detected below quantitation limits C Non-Chlorinated	ND	Maximum Contaminant Level Not Detected at the Reporting Limit	Page 1 of 13		
	4	Practical Quantitation Limit	S	Spike recovery outside accepted recovery limits	rage rorrs		

State of New Mexico



SCIENTIFIC LABORATORY DIVISION

WATER CHEMISTRY SECTION (505) 383-9029

1101 Camino de Salud, N Albuquerque, NM 87102

(505) 383-9000

Department of Health



Sample Collection Date: 10/12/201 Tie Sampling Location:

By: TRUJILLO 7521

SLD No.: WC-201103006

Request ID No .: Received at SLD:

10/13/2011 User: 55000 77 Subm:

2452006

WSS #:

NM350

This Copy of Report for:

NMED Dist #2 Attn: Dist. Mgr. 525 Camino de los Marquez, Suite 4

Santa Fe, NM 87505-1816

Sample Type: wn

Distribution to:

NMED Drinking Water Bureau (Central Files) {U}

NMED Dist #2 Attn: Dist. Mgr. {S}

Water Chemistry Section - File Copy

ANALYTICAL RESULTS

Dilution Factor

Sample Det. Limit

Data Qualifier

Fluoride

Result

Units mG/L

Analysis Date 10/25/2011

EPA Method No. 4500F-C

Level 0.1

Minimum

Analyst 0.1

Katie Paradise

Laboratory Comments:

Analyte

Reviewed by Jeff Robb

Supervisor, Water Chemistry Section

Date Printed: 03-Nov-11

Data Qualifier Codes and Definitions

- A- See comments section below
- D Spike recovery <80% or >120%
- F Matrix interference suspected
- G Inconsistent results, suggest re-sampling
- H Sample analyzed in duplicate
- Estimated quantity only, analyte was detected at a level below which an accurate Quantitation can be given

L - Result for this analyte equals or exceeds EPA MCL

N - Insufficient sample to verify results

P - Sample rejected/ voided at laboratory

Q - Sample submitted to laboratory past holding time

External control value <80% or >120% of theoretical value

W- Ion balance criteria exceeded

X - Daily control value <80% or >120% of theoretical value

STATE OF NEW MEXICO

DEPARTMENT OF HEALTH

185

SCIENTIFIC LABORATORY DIVISION

P.O. Box 4700

Albuquerque, NM 87196-4700

700 Camino de Salud, NE

[505] 841-2500

ORGANIC CHEMISTRY SECTION [505] 841-2571 SLD COPY

REPORT TO WATER SYSTEM

NMED DISTRICT FIELD OFFICE

SAMPLE VOL (ml):

NMED Drinking Water Bureau Santa Fé District Office Attention: Violette Valerio-Hirschfeld 525 Camino de Los Márquez, Suite 4 Santa Fé, NM 87505

N/A

DATE ANALYZED: 7/29/2010 9 Days: Within EPA Analysis Time

SLD NUMBER: OR-201001426 REQUEST ID NUMBER: 2438179 RECEIVED AT SLD: 7/22/2010 USER CODE: 55000 SLD TEST CODE: 774

■ NMED DRINKING WATER BUREAU

NMED Drinking Water Bureau Central Files 525 Camino de Los Márquez Suite 4 Santa Fé NM 87505

ANALYSIS No.: OR-

SLD BATCH NUMBER:

SAMPLING LOCATION: SAMPLING STATION #1	
FACILITY NAME: DATE: 1720/2018 TIME: 1120 COLLECTOR: TRUJILL	

EPA METHOD 524.2 SDWA VOLATILES BY GAS CHROMATOGRAPHY/MASS SPECTROMETRY DATE EXTRACTED

SAMPLE V		5.0	_		DILUTION	FACTOR:	1	.00
	CAMPI F - II		QUEST ID:					
SAME	LE pH:	2	_		SAMPLE PRESE	RVATION:	hydroch	loric acid
CAS#		REGULAT	ED VOLATILE ORGANIC C	OMPOUNDS	CONC. (ug/L)	QUAL.	SDL	MCL
71-43-2	Benze	ene			- to to to gray			
56-23-5	Carbo	n tetrach	loride			U	0.04	5
108-90-7		obenzene				U	0.05	5
95-50-1		chlorober				U	0.05	100
106-46-7		chlorober				U	0.07	600
107-06-2		chloroeth				U	0.07	75
75-35-4		chloroeth				U	0.04	5
156-59-2		2-Dichloro				U	0.06	7
156-60-5			proethene			U	0.06	70
78-87-5	1 2 Di	chloropro	noethene			U	0.24	100
100-41-4	Ethylb	enzene	parie	RICH		U	0.05	5
75-09-2			el el e cerco de		SIVED	U	0.03	700
100-42-5	Styren		ride (Dichloromethane)	4110		U,B	0.14	5
127-18-4		hloroethe		AUG 3	1 2010	U	0.06	100
108-88-3	Toluer		ene			U	0.06	5
120-82-1				IOV.		U	0.04	1000
71-55-6	1,2,4-1	richlorob	enzene	11-11-11		U	0.05	70
79-00-5	1,1,1-1	richloroe	thane			U	0.05	200
79-00-5		richloroe				U	0.06	5
		proethene				U	0.05	5
75-01-4		hloride				U	0.12	2
95-47-6	o-Xyle					U	0.05	10000
08-38-3 & 106-42-3		-Xylene	·			U	0.09	10000
N/A	Total X	ylenes				U		10000


	CONC. (ug/L)	QUAL.	SDL	MCL
Bromodichloromethane	2.2			
Bromoform	2.3			80
Chloroform		U	0.06	80
			0.05	80
	0.1		0.05	80
Total Trinaiomethanes	22.9		1111	80
	Bromodichloromethane Bromoform Chloroform Dibromochloromethane Total Trihalomethanes	Bromodichloromethane 2.3	Bromodichloromethane 2.3 Bromoform U Chloroform 20.5 Dibromochloromethane 0.1	Bromodichloromethane 2.3 0.06

- Is there anything that we can do to make our sampling responsibilities easier?
 - Know your sampling schedule (or have it available to review).
 - Know where to take the sample(s).
 - Use the Samplers Application to fill out the required paperwork.
 - Be in constant communication with your water system specialist at NMED-DWB.



- What is the Samplers Application?
 - It's a free website that helps you track your water system's chemical samples.
 - It also assists you in generating the required paperwork to submit to the labs when collecting samples.
 - And it has the sampling schedules of each water system in the State.





Sampling Data

- Where can I view sampling data from my water system?
 - Information for every public water system in the State of New Mexico can be found on the Drinking Water Watch (DWW) website.
 - Virtually all information that NMED-DWB has about each water system can be accessed on the DWW site.



Sampling Data

- Where can I view sampling data from my water system?
 - http://www.nmenv.state.nm.us/dwb/Index.htm



Sanitary Surveys

- What exactly is a Sanitary Survey?
 - It's basically an inspection of your water system.
 - It determines whether a system's source, facilities, equipment, operation, maintenance, and management are effective in producing safe drinking water.
 - Evaluates a system's compliance with federal and state drinking water regulations
 - Draws conclusions about the system's ability to consistently and reliably deliver an adequate supply of safe drinking water to it's consumers.



Sanitary Surveys

- How often does NMED-DWB conduct Sanitary Surveys at Public Water Systems?
 - USEPA requires that States conduct Sanitary Surveys a minimum of every 3 years at community water systems
 - 5 years at non-community water systems.



Sanitary Surveys

- What does NMED-DWB look for during a Sanitary Survey?
 - Information updates or facilities that have changed.
 - Review Records.
 - Inspect Facilities (wells, storage tanks, pressure tanks, booster pumps, chlorination facilities...etc).
 - Anything that could potentially affect the potability of the drinking water that you supply.



- What happens if NMED-DWB finds something wrong with my water system?
 - It depends on what we find.
 - If it's something minor NMED-DWB will offer recommendations to correct the issue.
 - If it's more significant a deficiency will be issued.



- What is a deficiency?
 - A deficiency is an issue with your water system that is currently, or has the potential to impact the potability of your drinking water.
 - It can also be an issue which could lead to a violation of drinking water regulations.
- What are some examples of deficiencies?
 - Openings in your Well
 - Openings in Storage tanks
 - Potential contaminants near your wells
 - Record Keeping





Well openings should be completely sealed so as to prevent external contaminants from entering the well and/or aquifer



Storage tank openings should all be sealed or screened.



This is not considered "Fixing" the problem



Hatches should be locked.



Storage Tanks should have a functioning water level indicator.



Storage overflow pipes should be screened and elevated approximately 12-18 inches above the ground

- What happens if a deficiency is found?
 - You have to fix the deficiency within a specified timeframe.
 - NMED-DWB will not tell you how to fix the deficiency, but can give you different options for achieving compliance.
 - You can also meet with NMED-DWB to discuss compliance options.



- How long do I have to fix a deficiency?
 - Within 30 Days from the date of the Sanitary Survey you must submit a compliance plan to NMED-DWB for correcting the deficiency(s).
 - Within I 20 days from the date of the Sanitary
 Survey you must have the deficiency(s) corrected.
 - Within 150 days from the date of the Sanitary Survey compliance documentation must be submitted to NMED-DWB.



- How do I prove that I've corrected the deficiency?
 - Submit compliance documentation to NMED-DWB.
 - Compliance documentation can be photographs, completed records, or any other documentation deemed acceptable by NMED-DWB
 - Consult with your Water Systems Specialist regarding what documentation will be accepted.



- What happens if I can't correct the deficiency(s) within I20 Days?
 - If you think that it will take longer than 120 Days to correct the deficiency, you may submit an extension request to NMED-DWB
 - Extension Requests must be submitted at a minimum 2 weeks <u>prior</u> to the required due date for correcting the deficiencies.
 - NMED-DWB will assess the request and possibly grant the extension.



- What happens if I don't correct the deficiency?
 - If a water system does not correct deficiencies noted in a Sanitary Survey, NMED-DWB will be forced to issue a Notice of Violation to the water system.
 - Depending on the type of deficiency, the water system may also be forced to install a chlorination system and maintain records proving that you are maintaining 4-Log disinfection.



Violations

- What else do I need to know about violations?
 - If you receive a violation, you will also be required to notify your customers about the violation.
 - There are different time frames associated to these public notifications based on the severity of the violation.
 - You will also need to certify to NMED-DWB in writing that you have completed the Public Notification Requirements within the specified time frames.



Public Notification

- What are the Time Frames for Public Notification?
 - Tier I Notifications are required when there is an immediate threat to public health (E-Coli)
 - Must be made within 24 Hours of notification about the violation
 - In most cases, a press release will be sent out by NMED-DWB in order to get information out as quickly as possible



Public Notification

- What are the Time Frames for Public Notification?
 - Tier II Notifications are required when there is not an immediate threat, but when there is the possibility for a public health threat (Chronic Health Effects due to a contaminant exceedance)
 - Must be made within One Month of notification about the violation
 - Must be distributed to all of your customers or in some cases, posted in a public place within the community.



Public Notification

- What are the Time Frames for Public Notification?
 - Tier III Notifications are required when there is not an immediate threat but a violation of the rules has still occurred (Not completing a CCR or other paperwork type of violations)
 - Must be made within One Year of notification about the violation
 - Must be distributed to all of your customers or in some cases, posted in a public place within the community.
 - Can be included in the yearly CCR that is sent out to customers



Enforcement

- What happens if I don't resolve a violation?
 - If a violation is issued and not resolved, the water system is subject to an Enforcement Action
 - Enforcement Actions are a legal process which NMED-DWB may utilize in an attempt to force a water system to comply with Drinking Water Regulations.
 - Enforcement Actions involve the possibility of issuing fines to the water system for each of their violations.



Enforcement

- How do I avoid an Enforcement Action?
 - Resolve all deficiencies and/or violations within the timeframes required by NMED-DWB.
 - Keep in constant communication with NMED-DWB.
 - As long as you can show that you are actively working towards compliance (working in good faith), NMED-DWB in most cases will work with you to figure out an adequate compliance plan.
 - NMED-DWB would rather help you achieve compliance than issue violations or Enforcement Actions.



- What records do I need to keep and how long do I need to keep them?
 - Records should be kept at the following frequencies:
 - Bacteriological samples 5 years
 - Chemical samples 10 years
 - Records of action taken to correct violations 3 years after last action
 - Reports, correspondence, communications and sanitary surveys 10 years
 - Variance granted to the system 5 years following the expiration of the variance
 - Lead and Copper samples 12 years
 - Consumer Confidence Reports 3 years
 - Engineering Plans Indefinitely



- Why do I need to keep these records for so long?
 - Records are required to be kept for a number of reasons:
 - It provides you with a history of the water quality at your water system.
 - It provides you with a history of your water system.
 - These records are used to complete your yearly Consumer Confidence Report.
 - Its required by USEPA Regulations!



- Doesn't NMED-DWB keep copies of these records?
 - Yes...NMED-DWB keeps many of the same records as the water systems, however, the burden of maintaining these records lies with each individual water system.
 - NMED-DWB uses it's records in order to report primacy items to USEPA.



- Can't we just use the sampling data on the NMED-DWB website as a way of maintaining our records?
 - The <u>Drinking Water Watch</u> website is available for everyone in the State as a tool to review recent chemical sampling results for their public water system, and can be used by water systems in assisting them with obtaining information relating to their water systemHOWEVER....
 - It does not circumvent the requirement for water systems to maintain hard copies of sampling results
 - Electronic databases or websites are subject to unexpected failures or maintenance requirements and should not be relied upon as the sole source of obtaining water system data.



Consumer Confidence Reports (CCRs)

 Consumer Confidence Reports (CCRs) are brief water quality reports with information regarding source water, detected contaminants, compliance, and educational information which are required to be distributed annually by Community Water Systems.



Consumer Confidence Reports (CCRs)

- Why doesn't NMED-DWB do the CCRs for us, its easier for you because you know what is required in the CCR?
 - The CCR rule requires that CCRs be completed by the Water System
 - Also, the amount of CCRs that need to be completed on a yearly basis in New Mexico is approximately I,000. NMED-DWB does not have the resources to complete that many CCRs on an annual basis.
 - If NMED-DWB completed CCRs for water systems, it would be an awkward position being responsible for each water system's compliance rather than regulating their compliance.



Consumer Confidence Reports (CCRs)

- When do CCRs we have to be completee?
 - CCRs are required to be completed annually.
 - A copy of the CCR must be distributed to your customers no later than July 1st every year
 - A copy of the CCR must be submitted to NMED-DWB no later than July 1st every year
 - A CCR Certification Form must be submitted to NMED-DWB no later than September 30th every year
 - If you submit your CCR to NMED-DWB prior to the July 1st deadline, your Water Systems Specialist will make every effort to review it for accuracy and allow you to correct it if needed.



MORE CCR REQUIREMENTS

- Water System Information Name/phone number of a contact person; information on public participation opportunities.
- Source(s) of Water.
- Definitions of Acronyms
 Maximum Contaminant Level (MCL); MCL Goal (MCLG); Treatment Technique (TT); Action Level (AL); Maximum Residual Disinfectant Level (MRDL); MRDL Goal (MRDLG).



MORE CCR REQUIREMENTS

- Detected Contaminants A table summarizing reported concentrations and relevant MCLs and MCLGs or MRDLs and MRDLGs; known source of detected contaminants; health effects language.
- Information on Monitoring for Cryptosporidium, Radon, and Other Contaminants (if detected).
- Compliance with Other Drinking Water Regulations (any violations and Ground Water Rule [GWR] special notices)
- Required Educational Information Explanation of contaminants in drinking water and bottled water; information to vulnerable populations about Cryptosporidium; statements on nitrate, arsenic, and lead



Other Things To Remember

- If you have a question about compliance with a regulation, sampling, operators,etc. contact your Water Systems Specialist.
- It is ultimately going to be your Water System's Specialist decision when there are questions about compliance issues.
- NMED-DWB cannot achieve compliance or make compliance decisions for you
- NMED-DWB can <u>assist</u> you with compliance issues, but it is ultimately each Water System's responsibility to be in compliance and maintain compliance.

If you take anything away from this presentation, it should be...

- Communicate with NMED-DWB
- Work in Good Faith to maintain compliance

- If a water system under 1,000 population has a monthly Total Coliform positive sample result, how many samples must they collect as a result?
 - 4 Repeat Samples (Original Location, Upstream, Downstream, Representative Location)
 - I Raw Water Sample from each active source (Well)

- True or False?
 - Under New Mexico Regulations, a Public Water System can be operated by a Journeyman Plumber?
 - True & False
 - Any person can operate a public water system in New Mexico....<u>IF</u> THEY ARE CERTIFIED BY NMED AS A PUBLIC WATER SYSTEM OPERATOR

- What will happen if NMED-DWB fails to collect a compliance sample from your water system?
 - A. Nothing
 - B. A Violation will be issued to your water system
 - C. The water system will be allowed a 10 day grace period in order to collect the sample
 - D. NMED-DWB will take over your water system

- True or False?
 - NMED-DWB will collect Lead & Copper samples for each public water system?
 - FALSE. NMED-DWB will only collect compliance samples at Water System Entry Points. Each water system is responsible for collecting their own distribution samples.

- How often are Sanitary Surveys required to be conducted at Community Water Systems?
 - A minimum of once every 3 Years

- How much time does a public water system have to correct a deficiency that is identified during a Ground Water System Sanitary Survey?
 - A deficiency must be corrected within 120 days of the Sanitary Survey
 - If the I20 day deadline is not able to be met, the water system may submit an extension request to NMED-DWB for consideration.

- What is the deadline to provide a copy of your Consumer Confidence Report to your consumers and NMED-DWB?
 - July Ist of <u>EVERY</u> year

- What are the potential consequences of ignoring a Significant Deficiency issued by NMED-DWB during a Sanitary Survey?
 - A. Violation
 - B. Administrative Order Issued to your Water System
 - C. Penalties issued to your water system
 - D. All of the above

- How long are you required to keep Total Coliform Sample Results?
 - A. I year
 - B. 5 years
 - C. 10 years
 - D. Forever!!!

If your water system receives a Total
 Coliform MCL Violation, you must notify your consumers within?

A. 30 Days

B. 60 Days

C. I year

D. At the time of your next ConsumerConfidence Report

BONUS QUESTION

- What is the Name of the current NMED-DWB Bureau Chief?
 - MARGARET RYAN



FURTHER ASSISTANCE

District I

District Manager: Nora Romero

505-222-9531

District Office:

5500 San Antonio Dr, NE

Albuquerque, NM 87109

(505) 222-9500

District II

District Manager: Violette Valerio-

Hirschfeld, Acting, 505-222-9539

District Office:

525 Camino De Los Marquez, Suite 4

Santa Fe, NM 87505

(877) 654-8720

District III

District Manager: Ray Melendrez,

575-649-3057

District Office:

1170 N. Solano

Suite M

Las Cruces, NM 88001

(575) 524-6300

District IV

District Manager: Joe Savage,

(575) 437-7115

District Office:

1015 Cuba Avenue

Alamogordo, New Mexico 88310

(575) 437-7115



QUESTIONS?

